



### **About Us**

Capital International Group is specialized in the field of animal health. we strive for excellence in all Sectors of animal health, including the therapeutics sector, vaccines and feed additive.

we are also active in the poultry production sector, which includes Breeder and Broiler farms

At 2012 Capital International Group began with the United Global for Distribution Company (Sub-distributors) which continues to operate till to day.

 During this period, we have successfully become recognized as one of the top sub-distributors for many International companies and covering all parts of Egypt.

• At 2015

As a result of this success, we established Capital International Group, which serves as the exclusive

Agent for a number of international and global companies.

- At 2017 we established Breeder farms, and developed this sector to become Breeder and Broiler farms at 2018.
- In the Egyptian market We have successfully seeded and marketed the products of the companies which we are an exclusive Distributors for it.
   Adding on We have the ability to seed and market any products in the

Adding on We have the ability to seed and market any products in the veterinary sector given our resources for success.







## Our Vision

- To be one of the top 5 Egyptian pharmaceutical companies in the field of animal healthcare at the end of 2027.
- To penetrate larg animal sector at 2026.
- To penetrate Human pharmaceutical market at the end of 2025.


### **Our Mission**

- Delivering innovative solutions through global cooperation and transfer of advanced technologies
- Dedicated to being a pivotal part of problem-solving for our clientele, offering cutting-edge solutions that align with their requirements and industry advancements.
- Support our community by continuous launching of unique cost effective molecules at the level of vet and human pharmaceutical market.
- Developing of our employees to reach its succession plan.
- Helping the shareholder to establish its market position at the level of Domestic and global Market.

Our Values are translated to our healthcare partners in a sense of integration and respect

**Our Values** 

- HONESTY
- RESPECT.
- INTEGRITY
- PERFORMANCE.
- PASSION
- LOYALTY
- Creativity







Dr. Mohamed Ramadan

Chairman of The Board

& Co-Founder

## Shareholders

M.B., B.Ch. Bachelor of veterinary medicine

#### **MBA - ESLSCA University**

Provides leadership to the firm's officers and executives successfully thanks to many years of experience working directly with customers all over egypt



Dr. Ahmed Saeed

Chief Executive Officer
& Co-Founder

M.B., B.Ch. Bachelor of veterinary medicine

#### **MBA - AUC**

Driving the workforce and resources of the company toward its strategic goals successfully thanks to long years working and experience with animal health business all over egypt



### **Board of Directors**



Dr. Randa Elghandour
Chief Operating Officer

M.B., B.Ch. Bachelor of Medicine & Surgery

MBA - International Business
School of Scandinavia IBSS
Executive Management Diploma
TOT / Management development
institute/ Missouri state
university

A track record of managing different departments and multifunctional teams at the level of local and export markets for 32 years in the field of Pharmaceuticals



Dr. Michel Mekha

Technical Director

M.B., B.Ch. Bachelor of veterinary medicine

Veterinarian specialized in poultry business 30 years Experience as technical support in poultry vaccines business



Mr. Grandeur Hassan
Chief Financial Officer
M.B., B.Ch. Bachelor of Commerce English
CMA, FMVA

With over 14 years of experience in financial operations and strategic financial planning



# Organization Staff

More than 100 Professionals and consultants staff are capable of handling everything related to the Vet and Human pharmaceutical market concerning domestic, tender, registration and exportation business.





Our team and our fleet can reach every and each where in egypt





One of our group companies that help us achieve success and increase the scope of work.





# Distribution Scope

- Cairo and Upper Egypt Alexandria and Beheira
- The Suez Canal region Dakahlia and Damietta
- Qalyubia and Menoufia Gharbia and Kafr El Sheikh



### **Number of Vehicles**

- 10 vehicles equipped with cooling units for preserving vaccines and medications.

## **Headquarters Location**

- Main Headquarters: Zagazig
- Branch Office: Abu Kabir (Eastern region)

Warehouse supporting perfect cold chain



## GLOBAL UNITED FOR DISTRIBUTION

# SUB - DISTRIBUTOR FOR EGYPTIAN AGENCY **SERVING THE FOLLOWING COMPANIES:**

Mevac (Kemin Egypt)

**MSD** (global Hemvac, kavac Boehringer (Korea)

(Germany)

Merial (France

The group currently Distributes about 180 M Dose all over Egypt through our strong distribution channel and vehicle



We are proud to introduce those international and local brands that we are distributing their products all over egypt as a subdistributer following the rules of G.D.P.

- Mevac: Exclusive agent for the Eastern region and the Suez Canal area from 2012 till now.
- Boehringer Ingelheim
- Zoetis:
- Merial
- LOHMANN animal health international
- Elanco
- Bio test lab
- Himmvac (KBNP)
- hipra laboratorios

- Atco Pharma
- Eva pharm
- Arabco Med
- Delta Vet Center
- Egy Euro
- United Biomed
- Intercova
- MUP
- Adwia



Capital breeder farms

We started at 2016 to raise

Breeder and broiler farms located in several locations in egypt with all of them we are using closed system and we are expanding to double capacity



## **Our Products**

## **Antibiotics**

## **MULINGANIC**

#### Composition

Each 1 gm contains: Valnemulin Hydrochloride 532.5 mg (Eq. to Valnemulin base 500 mg)

#### **Indication**

Mulinganic is used for treatment of:

- 1. Chronic respiratory disease (CRD)
- 2. Infectious synovities
- 3. Infectious sinusitis
- 4. Streptococcal and Staphylococcal arthritis.
- 5. Fowl cholera
- 6. Infectious coryza
- 7. Chylamydiosis.



#### Dosage

10 mg /kgbwt IM Injection & DW



## **Our Products**

## **Antibiotics**

## **BIOVALINAT**

### Composition

Each 1 gm contains:

Valnemulin Hydrochloride 532.5 mg (Eq. to Valnemulin base 500 mg)

### Indication

Biovalinate is used for treatment of :

- 1. Chronic respiratory disease (CRD)
- 2. Infectious synovities
- 3. Infectious sinusitis
- 4. Streptococcal and Staphylococcal arthritis.
- 5. Fowl cholera
- 6. Infectious coryza
- 7. Chylamydiosis.



#### Dosage

10 mg /kgbwt Feed additive



## **Our Products**

## **Antibiotics**

## SOLAZE

#### Composition

Each 100 gm contain: Amoxicillin Trihydrate 45.9 gm (Eq to amoxicillin base 40 gm).

### **Indication**

The gram-positive spectrum of activity includes alpha- and beta-hemolytic streptococci, some Staphylococci species, Clostridia species, E. coli, many strains of Salmonella, and Pasteurella multocida.

#### Dosage

500 mg of product per liter of drinking water daily for 3-5 consecutive days





## **Our Products**

## **Antibiotics**

## **VIPROGROTH**

### Composition

Each 1 gm contains: Ampicillin Trihydrate 577 mg (Eq. to Ampicillin 500 mg)

### **Indication**

It is effective in the treatment of enteritis and airway infections caused by E. coli & Ornithobacterium rhinotracheal, Salmonella and Clostridium spp.

#### Dosage

400 mg/litter of drinking water for 7 days





## **Our Products**

## Analgesic Anti-inflamatory

## **PARACET**

### Composition

Each 1 ml contains 400 mg of paracetamol.

#### **Indication**

- 1 Paracet analgesic drug against infectious and inflammatory diseases associated with various pain syndromes and hyperthermia in poultry.
  2 Paracet helps to clear air passage form mucus content and thus, improves respiration.
  3 Paracet increases feed utilization, feed conversion rate, growth rate and weight gain in chickens
- 4 Paracet for heat stress cases caused by extreme high temperature.

#### Dosage

1 ml/ 10 kg bwt IM injection

1 ml / 4 liter DW for 5 days.





## **Our Products**

## Anti - Coccidia

## **ZOMAGEN**

### Composition

#### Each 1 ml contains:

- Ethopabate 15 mg.

### **Indication**

Treatment of coccidiosis in broiler chickens caused by E. tenella, E. maxima, E. aceryulina, E. brunetti and E. necatrix.

#### Dosage

0.6 ml /Liter DW for 5-7 days.





## **Our Products**

### Anti - Coccidia

## **DICLAZU**

#### Composition

Diclazuril ...... 1% vitamin K3 ...... 10% Natural herbal additions

### Indication

A broad spectrum anti-coccidial agent for treatment and prevention of coccidiosis in poultry.

#### Dosage

0.5 ml /Liter DW for 3-5 days.





## **Our Products**

## Immunostimulant

## **LECTA ES**

### Composition

Lectin	40 gm
Oregano Oil	100 gm
Echinacea	50 gm
Vitamin E	200 gm
Selenium	0.1 gm
Zinc	5 gm
Iron	5.3 am

#### **Indication**

- 1 Antiviral agent as AI, ND, IB ard ILT.
- 2 Antimicrobial agent
- 3 Immunostimulant
- 4 Growth promoter for improvement of feed intake, feed conversion ratio (FCR), growth and weight gain.
- 5 Enhancing fertility and production

#### Dosage

0.5 - 1 ml /Liter DW for 3-5 days.





## **Our Products**

### **Immunostimulant**

## MIAROM L

#### Composition

Eucalyptus oil 90 gm (include 55 gm Cineole)

Anise oil 50 gm (include 20 gm Anethole)

Thyme oil 40 gm (include 8 gm Thymol)

Peppermint oil 20 gm (include 15 gm Menthol)

#### Indication

- 1 Antiviral agent as AI, ND, IB and ILT either orally or by spray application.
- 2 Air disinfectant for minimizing bacterial & viral load
- 3 Immunostimulant
- 4 In broiler breeder, improves fertility, hatching of total eggs and increase immunity of hatched chicks against ND & IB.
- 5 Appetite enhancer & Growth promoter.
- 6 Avoid heat stress and its negative impacts.

#### Dosage

Protection 1 MI/ 7L DW (12 hrs) Twice weekly.

Spray 5 Ml / 1 L water Twice weekly

Treatment 1 MI/ 4L DW For 3-5 days.

Spray 4 Ml / 1 L water 3-5 days





## **Our Products**

## Liver & Kidney Support

## **VITAL BIO POWER**

#### Composition


MOS	60 gm
BG	
FOS	80 gm
Vitamin E	28 gm
Vitamin C	10 gm
Methionine & lysine	50 am
Silymarin (80 %)	
L-carnitine (90%	
Retaine	

#### **Indication**

- 1 Biological anti-mycotoxin
- 2 liver tonic
- 3 Treatment of fatty liver syndrome and uterine prolapse in layers.

#### Dosage

0.5 - 1 ml /Liter DW for 3-5 days.





## **Our Products**

## Liver & Kidney Support

## **NO DRY**

### Composition

- Highly conc.
   electrolytes mixture
- Betaine 50 gm
- · Sorbitol 200 gm

#### <u>Indication</u>

- 1 Control of dehydration after long time of diarrhea and enteritis
- 2 Control of dehydration appear in one day old chick
- 3 Control of dehydration after heat stress.

#### Dosage

1 gm /Liter DW for 3-5 days.





## **Our Products**

## Liver & Kidney Support

## **DURIT CARE**

#### Composition

Ammonium chloride	267 gm
Mg Sulfate	9.5 gm
Na sulfate	150 gm
Potassium chloride	45 gm
Vitamin C	150 gm
Betaine	130 gm
Menthol	5 gm
Na hicarbonate	

#### Indication

- 1 Renal flasher recommended in mycotoxins contaminated feed and after antibiotics use, renal IB, IBDV, after antibiotics &routinely in layers to prevent gout.
- 2 Anti-heat stress.
- 3 Improves general health condition and growth performance

#### Dosage

0.5 - 1 gm /Liter DW for 3-5 days.





## **Our Products**

### **Growth Promotors**

## **NUCLEO BEAT**

### Composition

- Multi vitamin mixture
   (A, B complex, C, D &
   E)
- Mineral mixture & Electrolyte.
- · Amino acid mixture
- Salicylic acid..... 50 gm
- Menthol..... 35 gm
- Betaine ..... 15 gm
- Nucleotide ...... 5 gm

#### **Indication**

Acts as poultry tonic, antioxidant and anti-stress for better poultry performance.

#### Dosage

0.5 - 1 ml /Liter DW for 3-5 days





## **Our Products**

### **Growth Promotors**

## CAL - PHOS D3

### Composition

- Vitamin D3.
- Highly conc. minerals mixture

#### Indication

- 1 Prevention and treatment of deficiency of essential elements and minerals in birds.
- 2 For better skeleton performance
- 3 Improves egg shell quality

#### Dosage

1 ml /Liter DW for 3-5 days





## **Our Products**

### Anti - Colistridia

## **COLIBAN GASTRO**

#### Composition

Carvacrol	39 gı	n
Clove oil	32 gr	n
Cinnamoldhyde	40 gı	m
Garlic oil	50 gı	m
Betaine	90 gr	n
Vitamin A 40,000	000 I	U
Vitamin B	<b>50</b> g	m
Zine sulphate	70 gı	m
Monobutyrine	150 aı	m

#### Indication

Potent liquid mixture used as alternative to antibiotics in treatment of Clostridia species infection in poultry (Necrotic enteritis & ulcerative enteritis).

Its components act synergistically on clostridia and their toxins with anti-flatulent effect and appetizer

#### Dosage

0.5 ml / Liter DW for 3-5 days.





## **Our Products**

## Mucolytics

## **BROMAC**

#### Composition

Each 1 ml contains:

Bromhexine hydrochloride 10 mg.

#### Indication

An effective mucolytic in treatment of several respiratory tract infections as IB, ILT, ND, CRD, Infectious coryza in poultry and infectious sinusitis and coryza in turkey

#### Dosage

1 ml/ 10 kg bwt IM injection

0.5 ml / liter DW for 3-5 days





# **OUR PIPELINE**

N	Name approval	Active ingredients	
1	Jensaloverel	Each vial powder (capacity 50 ml) contains: Cefotaxime sodium 5.24 gm ( Eq.to Cefotaxime base 5 gm ) & Vial (diluent) contains 50 ml water for injection After reconstitution: Each 1 ml contains: Cefotaxime base 100 mg Sterile Powder and solvent for solution for injection	
2	Zemapelquin	Each 100 gm contains: Sulfaquinoxaline sodium	
3	Arsemvlotan	Each 1 ml contains: toltrazuril 50 mg Powder for Oral suspension	
4	Devifloxylate	Each 1 ml contains:  Danofloxacin mesylate	
5	Impomycisulf	Each 100 gm contains : Streptomycin Sulfate	
6	Dempomeficol	Each 1ml contains: Thiamphenicol250 mg Oral Solution for use in drinking water.	
7	Mevlodexapel	Each g contains:  Doxycycline (as hyclate)	



# **OUR PIPELINE**

N	Name Approval	Active Ingredients	
8	Mefkoprofket	Each ml contains: Tulathromycin100 mg Ketoprofen120 mg Solution for injection	
9	Mifkotilmicosin	One ml contains: Tilmicosin (as tilmicosin phosphate):	
10	Spiramifkoveta	Each 100 g contains: Spiramycin Adipate207,000,000 IU Equivalent to(Spiramycin base 59.449 g of 3.482 IU/mg) Powder for oral solution	
11	Dimetimefk	Each 1 kg contains:  Dimetridazole	
12	Mifkomulivalne	Each g contains:  Valnemulin hydrochloride	



# **OUR PIPELINE**

N	Approved Name	Active ingredients	Dosage Form
1	Jarnometavet	Each 1 ml contains: Amikacin (as sulfate) 250 mg	Sterile Aqueous Solution
2	Pandocichlor	Each 1 ml contain: Difloxacin (as difloxacin Hcl) 100 mg	Oral Solution
3	Senravaloped	Each g contains: Tylvalosin (as tartrate) 850 mg	Water Soluble Powder
4	Lumeverafen	Each 1 ml contains: Florfenicol 200 mg	Solution for use in drinking water
5	Slemarbolim	Each 1 ml contains: Marbofloxacin 100 mg	Solution for injection
6	Methomotival	Each 100 gm contains: Bacitracin (as Bacitracin methylene disalicylate) 44.06 gm E	Powder for oral solution
7	Phenoxymotivan	Each 1 gm contains: Phenoxymethylpenicillin potassium 325 mg (Eq. to phenoxymethylpenicillin 293 mg)	Powder for oral solution
8	Tyldoxivarol	Each 100 gm contain: Tylosin (as tartrate) 50 gm + Doxycycline (as hydrochloride) 25 gm.	Powder for oral solution
9	Motipyremol	Each 1 ml contain: Paracetamol 400 mg.	Solution for use in drinking water
10	Motisolvitral	Each 1 ml contains: Bromhexine (hydrochloride) 20 mg	Solution for use in drinking water



## **Our Business Precedent**











































- Villa Ramadan Attia Mustafa Kamel Street Abu Kabir, Sharqia Egypt Warehouses & Refrigerators Branch Office Tel / Fax (+2) 0553520561 Mob (+2) 01064787333
- www.cigpharma.com info@cigpharma.com 24/7: (+2) 01028070061